

- ✂ PRODUCTS
 - ✂ DIALDESIGN
 - ✂ AIRSPEED INDICATORS
 - ✂ ALTIMETERS
 - ✂ VARIOMETERS
 - ✂ COMPASS
 - ✂ FLYING HOURS COUNTER
 - ✂ BANK INDICATORS
 - ✂ PARACHUTE
 - ✂ ACCESSORIES
 - ✂ MOBILE TEST KIT
 - ✂ WATCH FOR PILOTS
- ✂ ABOUT US
 - ✂ COMPANY HISTORY
 - ✂ QUALITY MANAGEMENT
 - ✂ ADDRESS
- ✂ CONTACT
- ✂ CATALOGUE / PRICES
- ✂ MANUFACTURER
 - ✂ GERMANY
 - ✂ WORLDWIDE
- ✂ SALES PARTNER
 - ✂ GERMANY
 - ✂ WORLDWIDE
- ✂ HOME



Table variometers incl. easa Form One

item-no.	measuring range	diameter	depth	weight, incl. expansion tank	vol. of expansion tank	time constant
5161	± 10 m/sec	80 mm	68 mm	0,450 kg	0,45 l	7,0 sec
5162	± 2000 feet/min	80 mm	68 mm	0,450 kg	0,45 l	7,0 sec
5231	± 2 m/sec	80 mm	68 mm	0,880 kg	1,80 l	2,2 sec
5232	± 400 feet/min	80 mm	68 mm	0,880 kg	1,80 l	2,2 sec
5233	± 4 knots	80 mm	68 mm	0,880 kg	1,80 l	2,2 sec
5251	± 5 m/sec	80 mm	68 mm	0,450 kg	0,45 l	3,0 sec

5252	± 1000 feet/min	80 mm	68 mm	0,450 kg	0,45 l	3,0 sec
		∅	mm			
5253	± 10 knots	80 mm	68 mm	0,450 kg	0,45 l	3,0 sec
		∅	mm			
5261	± 10 m/sec	80 mm	68 mm	0,450 kg	0,45 l	1,6 sec
		∅	mm			
5262	± 2000 feet/min	80 mm	68 mm	0,450 kg	0,45 l	1,6 sec
		∅	mm			
5263	± 20 knots	80 mm	68 mm	0,450 kg	0,45 l	1,6 sec
		∅	mm			
5271	± 15 m/sec	80 mm	68 mm	0,450 kg	0,45 l	1,3 sec
		∅	mm			
5272	± 3000 feet/min	80 mm	68 mm	0,450 kg	0,45 l	1,3 sec
		∅	mm			
5273	± 30 knots	80 mm	68 mm	0,450 kg	0,45 l	1,3 sec
		∅	mm			
5281	± 5 m/sec	80 mm	68 mm	0,560 kg	0,90 l	1,8 sec
		∅	mm			
5279	± 1000 feet/min	80 mm	68 mm	0,560 kg	0,90 l	1,8 sec
		∅	mm			
5283	± 10 knots	80 mm	68 mm	0,560 kg	0,90 l	1,8 sec
		∅	mm			
5351	± 5 m/sec, log	80 mm	68 mm	0,560 kg	0,90 l	1,6 sec
		∅	mm			
5352	± 1000 feet/min, log	80 mm	68 mm	0,560 kg	0,90 l	1,6 sec
		∅	mm			
5353	± 10 knots, log	80 mm	68 mm	0,560 kg	0,90 l	1,6 sec
		∅	mm			
5361	± 10 m/sec, log	80 mm	68 mm	0,560 kg	0,90 l	1,6 sec
		∅	mm			
5362	± 2000 feet/min, log	80 mm	68 mm	0,560kg	0,90 l	1,6 sec
		∅	mm			
5363	± 20 knots, log	80 mm	68 mm	0,560 kg	0,90 l	1,6 sec
		∅	mm			
5431	± 2 m/sec	57 mm	68 mm	0,880 kg	1,80 l	2,2 sec
		∅	mm			
5432	± 400 feet/min	57 mm	62 mm	0,880 kg	1,80 l	2,2 sec
		∅	mm			
5433	± 4 knots	57 mm	62 mm	0,880 kg	1,80 l	2,2 sec
		∅	mm			
5451	± 5 m/sec	57 mm	62 mm	0,340 kg	0,45 l	3,0 sec
		∅	mm			
5452	± 1000 feet/min	57 mm	62 mm	0,340 kg	0,45 l	3,0 sec
		∅	mm			
5453	± 10 knots	57 mm	62 mm	0,340 kg	0,45 l	3,0 sec
		∅	mm			
5461	± 10 m/sec	57 mm	62 mm	0,340 kg	0,45 l	1,6 sec
		∅	mm			
5262	± 2000 feet/min	57 mm	62 mm	0,340 kg	0,45 l	1,6 sec
		∅	mm			

5463	± 20 knots	57 mm ø	62 mm	0,340 kg	0,45 l	1,6 sec
5471	± 15 m/sec	57 mm ø	62 mm	0,340 kg	0,45 l	1,3 sec
5472	± 3000 feet/min	57 mm ø	62 mm	0,340 kg	0,45 l	1,3 sec
5473	± 30 knots	57 mm ø	62 mm	0,340 kg	0,45 l	1,3 sec
5481	± 5 m/sec	57 mm ø	62 mm	0,450 kg	0,90 l	1,8 sec
5479	± 1000 feet/min	57 mm ø	62 mm	0,450 kg	0,90 l	1,8 sec
5483	± 10 knots	57 mm ø	62 mm	0,450 kg	0,90 l	1,8 sec
5551	± 5 m/sec, log	57 mm ø	62 mm	0,450 kg	0,90 l	1,6 sec
5552	± 1000 feet/min, log	57 mm ø	62 mm	0,450 kg	0,90 l	1,6 sec
5553	± 10 knots, log	57 mm ø	62 mm	0,450 kg	0,90 l	1,6 sec
5561	± 10 m/sec, log	57 mm ø	62 mm	0,450 kg	0,90 l	1,6 sec
5562	± 2000 feet/min, log	57 mm ø	62 mm	0,450kg	0,90 l	1,6 sec
5563	± 20 knots, log	57 mm ø	62 mm	0,450 kg	0,90 l	1,6 sec

[← back](#)
[print view](#)